

**To:** Daly, Eric[Daly.Eric@epa.gov]  
**From:** Renee Gibson  
**Sent:** Tue 8/16/2016 2:57:26 PM  
**Subject:** Re: Work Order: 20294718

Eric,

That is the shipping address we show. Once I receive payment I will ship this order.

Thank you,

Renee Gibson  
Repair/Calibration Dept.  
Ludlum Measurements, Inc.  
501 Oak St.  
Sweetwater, TX 79556  
regibson@ludlums.com  
(325)235-5494/1-800-622-0828 x3409  
Serving the nuclear industry since 1962.

On 8/16/2016 9:56 AM, Daly, Eric wrote:

Good Morning Renee:

Rich will be providing the payment information.

I wanted to ensure the shipping information update was received on your end. The instrument should be shipped to my attention at the Niagara Falls address below. However, it will have to be received by August 25<sup>th</sup> for us to be present. If there are delays in shipment, we will have to change the shipping address. Thanks

USEPA

C/O Eric Daly

9626 Niagara Falls Boulevard

Niagara Falls, NY 14304

**From:** Renee Gibson [<mailto:regibson@ludlums.com>]  
**Sent:** Tuesday, August 16, 2016 9:45 AM  
**To:** Wickersty, Richard <[Wickersty.Richard@epa.gov](mailto:Wickersty.Richard@epa.gov)>  
**Subject:** Work Order: 20294718

Good Morning,

Attached is a copy of an order that we have ready to ship back, but we need the credit card information.

Thank you,

**Renee Gibson**  
**Repair/Calibration Dept.**  
**Ludlum Measurements, Inc.**  
**501 Oak St.**  
**Sweetwater, TX 79556**  
**regibson@ludlums.com**  
**(325)235-5494/1-800-622-0828 x3409**  
**Serving the nuclear industry since 1962.**

----- Forwarded Message -----

**Subject:**Attached Image  
**Date:**Tue, 16 Aug 2016 08:50:35 -0400  
**From:**[repair@ludlums.com](mailto:repair@ludlums.com)  
**To:**Renee Gibson <[regibson@ludlums.com](mailto:regibson@ludlums.com)>